


M-RS 125

C 72

Columbia University
in the City of New York

College of Physicians and Surgeons
Library





Digitized by the Internet Archive
in 2011 with funding from
Open Knowledge Commons

**VANDERBILT CLINIC
FORMULARY**

VAN DER BILT CLINIC
FORMULARY

Spec 6011

44-6011

25

125

.C72

SOME EXPLANATORY NOTES

In prescribing, the physician should write in the patient's prescription book the date, name of prescription as stated in the formulary, and directions for use. Medicine for internal use should be prescribed in teaspoonful doses. The apothecary will dispense a quantity sufficient for not more than four days unless more is required, in which case the physician should write below his prescription the words "double quantity."

In order to lessen the chances of mistake in administering medicine, the use of "drop" doses has been avoided as much as possible.

To facilitate the prompt handling of prescriptions in the Apothecary's Department, and thus save annoying delay to patients, it is of much importance that the formulary be adhered to in prescribing.

Antipyrin and Valerian Mixture		G	M		
		C	C		
℞	Antipyrini	3	7	gr xviii	gr iii
	Sodii Bromid.	12	5	3 i	gr x
	Spir. Chloroformi.	6	25	3 ss	m v
	Tinct. Valerianae.	37	5	3 iii	3 ss
	Aq. Dest.	q.s. ad.	100	00 q.s. ad 3 i	q.s. ad tsp j
	Acetphenetidin Tablet (Phenacetin)	325			gr v
	Acetanilid Tablet	195			gr iii
	Antipyrine Tablet	195			gr iii
Phenacetin and Salol Tablet					
℞	Acetphenetidin				
	Phenylsalicylatis	aa	16	aa	gr ii ss
	Camphor Capsule		065		gr i
	Anaesthesin Capsule		13		gr ii
	Codein Sulphat Tablet		016		gr 1/4
	Heroin Sulphat Tablet		005		gr 1/12
	Morphin Sulphat Tablet		008		gr 1/8
	Atropin Sulphat Tablet		00013		gr 1/500
	Atropin Sulphat Tablet		00065		gr 1/100

SEDATIVES AND ANALGESICS

LOCAL

Belladonna Suppository

℞	Ext. Belladonnæ	016	gr 1/4
	Ol. Theobromat.	q.s.	q.s.
M.			

Belladonna and Cannabis Suppository

℞	Ext. Belladonnæ	016	aa	gr 1/4
	Ext. Cannabis Ind.	016		
	Ol. Theobromat.	q.s.		q.s.
M.				

Belladonna and Morphine Suppository

℞	Ext. Belladonnæ	016	gr 1/4
	Morphini Sulph.	008	gr 1/8
	Ol. Theobromat.	q.s.	q.s.
M.			

Opium Suppository

℞	Pulv. Opii.	065	gr j
	Ol. Theobromat.	q.s.	q.s.
M.			

Æthesine Suppository		G M	
		C C	
Anæthesini	0	13	gr ii
Acidi Tannici	0	195	gr iii
Ol. Theobromat.	q.s.		q.s.

TONICS

on Pill

Pilula Ferri Carbonatis	0	325	gr v
-------------------------------	---	-----	------

on and Strychnine Pill

Massæ Ferri Carbonatis	325	gr v
Strychninæ Sulphatis	0 0011	aa gr 1/60

on and Arsenic Pill

Massæ Ferri Carbonatis	0 325	gr v
Arseni Trioxidi	0 0011	gr 1/60

on and Mercury Compound Pill

Massæ Ferri Carbonatis	0 325	gr v
Arseni Trioxidi	0 0011	
Strychninæ Sulphatis	0 0011	
Hydrargyri Chloridi Corrosivi.....	0 0011	aa gr 1/60
Pulv. Rhei	0 032	gr ss.

on Laxative Pill

Massæ Ferri Carbonatis	0 325	gr v
Aloini	0 005	gr 1/12
Podophyllini	0 005	gr 1/12

saccharated Iron Carbonate Tablet ..	0 325	gr v
---	--------------	-------------

rsenic Trioxid Tablet.....	0 00065	gr 1/100
-----------------------------------	----------------	-----------------

rsenic Mixture

2 Liq. Potas. Arsenitis	3 7	m xvii	m iii
Aq. Menthæ Pip.	q.s. ad 100	q.s. ad 5 j	q.s. ad tsp j

quinine Sulphate Capsule	0 13	gr ii
---------------------------------------	-------------	--------------

quinine Sulphate Capsule	0 195	gr iii
---------------------------------------	--------------	---------------

quinine Sulphate Capsule	0 325	gr v
---------------------------------------	--------------	-------------

		G	M		
		C	C		
Antiperiodic Capsule					
Tinct. Warburg. (Sine Aloe)	4	0			3 j
Iron Chlorid Mixture					
Rx Tinct. Ferri Chlorid.	18	75	3 i ss		m xv
Glycerini	25	00	3 ii		m xx
Aq. Dest.	q.s. ad 100	00	q.s. ad 3 i	q.s. ad	tsp. j
Iron and Potassium Tartrate Mixture					
Rx Ferri ad Potassii Tartrat.	12	00	3 i		gr x
Glycerini	25	00	3 ii		m xx
Aq. Dest.	q.s. ad 100	00	q.s. ad 3 i	q.s. ad	tsp. j
Iron and Ammonium Citrate Mixture					
Rx Ferri et Ammonii Citrat.	12	5	3 i		gr x
Liq. Potass. Arsenitis	2	5	m xii		m ii
Syr. Aurantii Corticis	50	0	3 ss		m x1
Aq. Dest.	q.s. ad 100	00	q.s. ad 3 i	q.s. ad	tsp. j
Iron Arsenic and Quinine Mixture					
Rx Ferri et Quininae Citrat.	6	25	3 ss		gr v
Liq. Potass. Arsenitis	3	7	m 18		m iii
Tr. Gentian. Comp.	q.s. ad 100	00	q.s. ad 3 i	q.s. ad	tsp. j
Bitter Wine and Nux Mixture					
Rx Tr. Nucis Vom.	1	25	m vi		m i
Vini Ferri Amari	50	00	3 ss		m x1
Aq. Dest.	q.s. ad 100	00	q.s. ad 3 i	q.s. ad	tsp. j
Iron and Strychine Mixture					
Rx Ferri Pyrophosphatis	12	5	3 i		gr x
Strychninae Sulphatis	0	13	gr 1/5		gr 1/30
Tinct. Zingiber.	1	25	m vi		m 1
Glycerini	6	25	3 ss		m v
Aq. Dest.	q.s. ad 100		q.s. ad 3 i	q.s. ad	tsp. j
Glycerophosphate and Nux Mixture					
Rx Sodii Glycerophosphatis	12	5	3 i		gr x
Tinct. Nucis Vom.	6	25	3 ss		m v
Aq. Dest.	q.s. ad 100	00	q.s. ad 3 i	q.s. ad	tsp. j
Strychnine Sulphate Tablet.	0	00065			gr. 1/100
Strychnine Sulphate Tablet.	0	0011			gr. 1/60
Strychnine Sulphate Tablet.	0	0022			gr. 1/30

		G M		
Phosphoric Acid Mixture	C C			
Ac. Phosphoric. Dilut.	12 5	3 i		m x
Tinct. Nucis Vom.	6 25	3 ss		m v
Syr. Hypophosp.q.s. ad 100	0	q.s. ad 3 i		tsp j
Cod Liver Oil Emulsion				
Olei Morrhuae	50 0	3 ss		m xl
Chondri	q.s.	q.s.		q.s.
Aquaeq.s. ad 100	0	q.s. ad 3 j	q.s. ad	tsp. j
Cod Liver Oil Emulsion With Iron Iodid				
Olei Morrhuae	50 0	3 ss		m xl
Syr. Ferri Iodidi	5 0	mxxiv		m iv
Chondri	q.s.	q.s.		q.s.
Aq. Cinnamomiq.s. ad 100	0	q.s. ad 3 j	q.s. ad	tsp. j
Cod Liver Oil With Cresote				
Creosoti	1 25	m vi		m i
Emuls. Olei Morrhuae...q.s. ad 100	00	q.s. ad 3 i	q.s. ad	tsp. j
Malt and Cod Liver Oil				
Extr. Malt	66 6			
Ol. Morrhuae	33 3			

CARDIAC REMEDIES

Digitalis Mixture

Tinct. Digitalis	12 5	3 i		m x
Tinct. Nucis Vom.	6 25	3 ss		m v
Tinct. Cinchonæ Co....q.s. ad 100	0	3 i	q.s. ad	tsp. j
Digitalis Tablet (Powdered Leaves) ..	0 065			gr i

Fusion of Digitalis (Fresh)

Strophanthus Mixture

Tinct. Strophanthi	6 25	3 ss		m v
Tinct. Gentian. Co.q.s. ad 100	0	q.s. ad 3 j	q.s. ad	tsp. j

ARTERIAL DILATORS

Chloral Solution

Chloral Hydrat.	6 25	3 ss		gr v
Aq. Menthae Pip.q.s. ad 100	0	q.s. ad 3 j	q.s. ad	tsp. j

Nitroglycerin Tablet0 00065 gr 1/100

Nitroglycerin Tablet0 0013 gr 1/50

G M

RESPIRATORY REMEDIES

INTERNAL

	G	M		
	C	C		
Brown Mixture and Ipecac				
℞ Syr. Ipecac.	2	5	m xii	m ii
Mist. Glycerrhiz. Co.	q.s. ad 100	0	q.s. ad 5 i	q.s. ad tsp. j
Antimonial Mixture				
℞ Vin. Antimonii	2	5	m xii	m ii
Vin. Ipecac.	2	5	m xii	m ii
Spir. Aetheris Nitr.	6	25	5 ss	m v
Liq. Ammonii Acetat. . .	q.s. ad 100	0	q.s. ad 5 j	q.s. ad tsp. j
Ammonium Chlorid Mixture				
℞ Ammonii Chloridi	6	25	5 ss	gr v
Tr. Persionis	12	5	5 i	m x
Syr. Acidi Citrici	q.s. ad 100	0	q.s. ad 5 j	q.s. ad tsp. j
Ammonium Carbonate Mixture				
℞ Ammonii Carbonatis	1	25		
Extr. Glycerrhizæ	1	25	aa gr. vi	aa gr i
Syr. Ipecac.	5	0	m xxiv	m iv
Syr. Senegæ	10	0		
Syr. Tolut.	10	0	aa m xlvi	aa m viii
Aq. Cinnamomi	q.s. ad 100	0	q.s. ad 5 j	q.s. ad tsp. j
Ammonium Chlorid Sedative Mixture				
℞ Morphin. Sulphatis	0	2	gr i	gr 1/16
Ammonii Chloridi	2	5	gr xii	gr ii
Tr. Belladonnæ	6	25	5 ss	m v
Elixir Simplicis	50	0	5 ss	m xl
Aquæ Dest.	q.s. ad 100	0	q.s. ad 5 j	q.s. ad tsp. j
Codein Mixture				
℞ Codeinæ Sulphatis	0	3	gr iss	gr 1/4
Ammonii Chloridi	6	25	5 ss	gr v
Syr. Acidi Citrici	q.s. ad 100	0	q.s. ad 5 j	q.s. ad tsp. j
Codein and Ipecac Mixture				
℞ Codeinæ Sulphatis	0	2	gr i	gr 1/6
Syr. Ipecac.	5	0	m xxiv	m iv
Syr. Tolutan.	50	0	5 ss	m xl
Aquæ	q.s. ad 100	0	q.s. ad 5 j	q.s. ad tsp. j
Antipyrin Mixture				
℞ Antipyrini	1	25	gr vi	gr i
Syr. Tolut.	50	0	5 ss	m xl
Aquæ Dest.	q.s. ad 100	0	q.s. ad 5 j	q.s. ad tsp. j

		G M			
Antipyrin Comp. Mixture (B.A.B.I.)		C	C		
Sodii Bromidi	6	25	5 ss	gr	v
Antipyrini	1	25	gr vi	gr	i
Tinct. Belladonnæ	1	25	m vi	m	i
Syr. Ipecac.	2	5	m xii	m	ii
Elixir Simplicis	50	0	5 ss	m	xl
Aquæ Dest.	q.s. ad 100	0	q.s. ad 5 j	q.s. ad	tsp. j
I. and Ipecac Mixture					
Potas. Iodidi	6	25	5 ss	gr	v
Syr. Ipecac.	12	50	5 j	m	x
Syr. Tolut.	50	0	5 ss	m	xl
Aquæ Dest.	q.s. ad 100	0	q.s. ad 5 j	q.s. ad	tsp. j
I. and Belladonna Mixture					
Potas. Iodidi	6	25	5 ss	gr	v
Tinct. Belladonnæ	6	25	5 ss	m	v
Syr. Tolut.	50	0	5 ss	m	xl
Aquæ Dest.	q.s. ad 100	0	q.s. ad 5 j	q.s. ad	tsp. j
I. Sedative Mixture					
("Emphysema Mixture")					
Potas. Iodidi	6	25	5 ss	gr	v
Morphin. Sulphat.	0	1	gr ss	gr	1/12
Tinct. Belladonnæ	6	25	5 ss	m	v
Spts. Aetheris Co.	18	75	5 iss	m	xv
Aquæ Dest.	q.s. ad 100	0	q.s. ad 5 j	q.s. ad	tsp. j
pecacuanha Tablet	0	0065		gr	1/10
pecacuanha Tablet	0	016		gr	1/4
pecacuanha and Opium Tablet					
(Dover's)	0	033		gr	1/20
pecacuanha and Opium Tablet					
(Dover's)	0	16		gr	iiss
pecacuanha and Tartar Emetic	aa	0	00065	aa	gr 1100
3. C. S. Tablet					
Tinct. Belladonnæ	0	016		m	1/4
Camphoræ	0	0065		gr	1/10
Salolis	0	065		gr	j
Creosote Mixture					
Creosoti	6	25	5 ss	m	v
Spir. Frumenti	q.s. ad 100	0	q.s. ad 5 i	q.s. ad	tsp. j
		G M			

		G M		
Creosote and Gentian Mixture		C C		
R̄ Creosoti	1	25	m vi	m i
Tinct. Gentianæ Co.....	q.s. ad 100	0	q.s. ad ̄ j	q.s. ad tsp. j

RESPIRATORY REMEDIES

LOCAL

Creosote Inhalant

R̄ Creosoti		
Chloroformi		
Spir. Vini Recti	aa equal pa	rts

Phenol Inhalant

R̄ Phenolis		
Creosoti		
Spir. Vini Recti	aa two pa	rts
Spir. Aetheris	one pa	rt

Formalin Inhalant

R̄ Formalini (40%)	6	25	5 ss
Chloroformi	12	5	5 i
Mentholis	2	0	gr x
Ol. Pini Pumilionis	2	0	m x
Spir. Vini Recti	q.s. ad 100	0	q.s. ad ̄ j

Compound Benzoin Inhalant

R̄ Mentholis	6	25	5 ss
Tinct. Benzoini Co.	q.s. ad 100	0	q.s. ad ̄ j

Nebulization No. 1

R̄ Mentholis	0	6	gr iii
Ol. Pini Pumilionis	0	4	m ii
Petrolati Liquidi	q.s. ad 100	0	q.s. ad ̄ j

Nedulization No. 2

R̄ Mentholis	0	8	gr iv
Camphoræ	2	5	gr xii
Eucalyptolis	0	8	m iv
Petrolati Liquidi	q.s. ad 100	0	q.s. ad ̄ j

M. E. C. Ointment (Children)

R̄ Mentholis	0	2	gr i
Eucalyptolis	0	2	gr i
Camphoræ	0	2	m i
Petrolati Alb.	q.s. ad 100	0	q.s. ad ̄ j

		G	M		
		C	C		
Menthol Ointment					
℞	Mentholis	1	0	gr	v
	Petrolati	q.s. ad 100	0	q.s. ad	℥ j
Anaesthesin Lozenge					
℞	Mentholis	0	0027	gr	1/24
	Ol. Eucalypti	0	052	m	ss
	Glycerini	0	097	m	iss
	Anæsthesini	0	097	gr	iss
	Extr. Glycerrhizæ	q.s.		q.s.	
Stramonium Compound Powder					
℞	Stramonii Fol.	50	0	℥	ss
	Cascarillæ Corticis	12	5	gr	xlvi
	Potas. Niträt.	25	0	3	iss
	Ipecac.	12	5	gr	xlvi
M. S. Burn one teaspoonful and inhale smoke.					

GARGLES

Phenol and Soda Solution (Dobell)

℞	Phenolis	2	2	gr	iv
	Sodii Bicarbonatis	0	4		
	Sodii Biboratis	0	4	aa	gr viii
	Glycerini	12	5	3	ss
	Aquæ	q.s. ad 100	0	q.s. ad	℥ iv

Antiseptic Solution (Lister)

℞	Ol. Eucalypti	0	04		
	Ol. Gaultheriæ	0	04		
	Ol. Menthæ Pip.	0	04	aa	m ¾
	Thymolis	0	15	gr	iii
	Ac. Benzoic.	0	2		
	Ac. Boric.	0	2	aa	gr iv
	Spir. Vini Recti	25	0	℥	j
	Glycerini	12	5	℥	ss
	Aquæ	q.s. ad 100	0	℥	iv

Salicylic Acid Gargle

℞	Ac. Salicylic.	1	5	3	ss
	Sodii Biboratis	3	0	3	j
	Tinct. Myrrhæ	0	75	m	xv
	Aquæ	q.s. ad 100	0	q.s. ad	℥ iv

Alum Gargle

℞	Aluminis	1	5	3	ss
	Potasii Chloratis	3	0	3	j
	Glycerini	12	5	℥	ss
	Aquæ	q.s. ad 100	0	q.s. ad	℥ iv

		G M		
Iron Gargle		C C		
℞ Potas. Chloratis	3	0	5	j
Tinct. Ferri Chloridi	3	0	5	j
Glycerini	25	0	5	j
Aquæ	q.s. ad 100	0	q.s. ad 5	iv
Tannic Acid Gargle				
℞ Ac. Tannic.	1	5		
Aluminis	1	5	aa 3	ss
Glycerini	12	5	5	ss
Aquæ	q.s. ad 100	0	q.s. ad 5	iv

ALKALIES AND ANTACIDS

Alkaline Mixture (Shake)

℞ Sodii Bicarbonatis	12	5	5	i	gr x
Magnesii Carbonatis	25	0	5	ij	gr xx
Aquæ	q.s. ad 100	0	q.s. ad 5	j	ad tsp i

Alkaline Powder

℞ Sodii Bicarbonatis	1	3			
Magnesii Oxidi	1	3			
Bismuthi Subcarbonatis	1	3			aa gr xx

Cerium and Soda Powder

℞ Cerii Oxalatis	1	3			gr xx
Sodii Bicarbonatis	0	65			gr x

Bicarb. and Tartrate Powder

℞ Sodii Bicarbonatis	1	0			gr xv
Sodii et Potassii Tartratis	2	0			gr xxx
M. S. Dissolve in one pint water and add juice of half a lemon.					

Ergot and Belladonna Pill

℞ Extr. Belladonnæ Fol.	0	008			gr 1/8
Extr. Ergotæ	0	065			gr i

Ergot and Belladonna Compound Pill

℞ Extr. Belladonnæ Fol.	0	0065			gr 1/10
Extr. Ergotæ	0	065			gr i
Extr. Nucis Vomicae	0	016			gr 1/4
Pulv. Ipecacuanhæ	0	016			gr 1/4
Extr. Gentianæ	q.s.				q.s.

STOMACHICS

	G	M		
Rhubarb and Ipecac Mixture				
("R. & I")	C	C		
℞ Extr. Rhei Fl.	2	5	m xii	m ii
Extr. Ipecac Fl.	0	3	m iss	m 1/4
Sodii Bicarbonatis	6	25	5 ss	gr v
Aq. Menthæ Pip.q.s. ad 100	0	q.s. ad 5	j	ad tsp. j
Rhubarb and Ipecac Tablet				
℞ Pulv. Rhei	0	065		gr i
Pulv. Ipecac.	0	008		gr 1/8
Sodii Bicarbonatis	0	325		gr v
Olei Menthæ Pip.	0	033		m 1/20
Rhubarb and Nux Mixture				
℞ Tinct. Nucis Vom.	6	25	3 ss	m v
Rhubarb and Ipecac Mixt. (V.C.)				
..... ad 100	0	q.s. ad 5	j	q.s. ad tsp. j
Rhubarb, Ipecac and Nux Tablet				
℞ Pulv. Rhei	0	13		gr ii
Pulv. Ipecac.	0	016		gr 1/4
Tr. Nucis Vom.	0	325		m v
Sodii Bicarb.	0	325		gr v
Ol. Menthæ Pip.	0	003		m 1/20
Nux and Gentian Mixture				
℞ Tinct. Nucis Vom. ...	12	5	3 i	m x
Tinct. Gentianæ Co. .	50	0	5 ss	m xl
Aq. Chloroformiq.s. ad 100	0	q.s. ad 5	j	ad tsp. j
Capsicum Mixture				
℞ Tinct. Capsici	2	5	m xii	m ii
Tinct. Nucis Vom.	6	25	5 ss	m v
Tinct. Zingiber.	6	25	5 ss	m v
Tinct. Cinchonæ Co.q.s. ad 100	0	q.s. ad 5	j	ad tsp. j
Nux and HCL Mixture				
℞ Tinct. Nucis Vom.	6	25	5 ss	m v
Acidi Hydrochlorici Dil.	12	5	5 i	m x
Tinct. Cinchonæ Co.q.s. ad 100	0	q.s. ad 5	j	ad tsp. j
Phenol and Glycerin Mixture				
℞ Phenolis	1	25	m vi	m i
Glycerini	5	0	m xxiv	m iv
Aq. Dest.q.s. ad 100	0	q.s. ad 5	j	ad tsp. j

LAXATIVES

	G	M		
	C	C		
Cascara Compound Mixture				
℞ Extr. Rhamnus Pursh Fl.	18	5	5 iss	m xv
Mist. Rhubarb Ipecac and Nux (V.C.)	100	0	q.s. ad ̄ j	q.s. ad tsp. j
Cascara Compound Tablet				
℞ Pulv. Rhei		065		gr i
Sodii Bicarb.	0	325		gr v
Pulv. Ipecac.	0	008		gr 1/8
Extr. Nucis Vomicae	0	016		gr 1/4
Extr. Rhamn. Pursh. Fl.	0	325		m v
Olei Menthae Pip.		006		m 1/10
A. B. S. Tablet				
℞ Aloini	0	015		gr 1/5
Extr. Belladonnæ Fol.	0	008		gr 1/8
Strychninæ Sulphat.	0	001		gr 1/60
Tablet A. B. S. With Ipecac				
℞ Aloini	0	015		gr 1/5
Extr. Belladonnæ Fol.	0	008		gr 1/8
Strychninæ Sulphat.	0	001		gr 1/60
Pulv. Ipecac.	0	004		gr 1/16
℞ Aloini	0			
Tablet A. B. S. and Podophyllin				
Extr. Belladonnæ Fol.	0	008		gr 1/5
Strychninæ Sulphat.	0	011		gr 1/8
Resinæ Podophylli	0	006		gr 1/60
				gr 1/10
Ext. Cascara Tablet	0	2		gr iii
Aloin Tablet	0	0065		gr 1/10
Podophyllin Tablet	0	0065		gr 1/10
Calomel Tablet	0	0065		gr 1/10
Calomel Tablet	0	016		gr 1/4
Calomel Tablet	0	037		gr 1/2
Calomel Tablet	0	065		gr i
Phenolphthalein Tablet	0	065		gr i
Petrolatum Liquidum Album				
Agar Agar				
Artificial Carlsbad Salts				
℞ Sodii Chloridi.	6	25		3 ss
Sodii Bicarb.	18	75		3 iss
Sodii Sulphatis Exsiccati	75	0		3 vi
Dose two teaspoons.				

ANTIDIARRHOEAL REMEDIES

	G	M		
	C	C		
Bismuth and Opium Mixture				
2 Bismuthi Subcarbonatis	25	0	3 ii	gr xx
Tinct. Opii Deodorat.	2	5	m xij	m ii
Aq. Cinnamoniq.s. ad	100	0	q.s. ad 3 j	q.s. ad tsp j
M. Shake				

Bismuth Subcarb Mixture				
2 Bismuthi Subcarbonatis	18	7	5 iss	gr xv
Aq. Cinnamoni	50	0	5 ss	m xl
Aquæq.s. ad	100	0	q.s. ad 3 j	q.s. ad tsp j
M. Shake				

Camphor and Opium Mixture (Sun Cholera)				
2 Spir. Camphoræ	20	0		m xvi
Spir. Menthæ Pip.	20	0		m xvi
Tinct. Capsici	20	0		m xvi
Tinct. Rhei	20	0	aa m xcvi	m xvi
Tinct. Opii	20	0	in 3 i	m xvi
M.				

Lead and Opium Pill				
2 Plumbi Acetatis	0	13		gr ii
Pulv. Opii	0	065		gr i
M.				

Castor Oil and Salol Capsule				
Ol. Ricini	0	32		m v
Phenylsalicylatis.	0	32		gr v

ANTHELMINTICS

Aspidium Mixture				
Oleoresinæ Aspidii	25	0	fl 3 ii	fl 3 j
Spir. Chloroformi	12	5	fl 3 j	fl 3 ss
Syr. Zingiberisad	100	0	aa q.s. ad 3 j	aa q.s. ad
				tablesp j
Aspidium Oleoresin Capsule	1	0		m xv

Santonin Comp. Powder				
Santonini	0	032		gr 1/2
Hydarg. Chlor. Mitis	0	13		gr ij
M				

				M C C	
Santonin Tablet	0	03			gr 1/2
Chenopodium Oil in Sugar					
Olei Chenopodii	18	7	5	iss	m xv
Sacchari	100	0	5	j	tsp j
Thymol in Sugar					
Thymolis	25	0	5	ij	gr xx
Sacchari	100	0	5	j	ad tsp j
M.					

DIURETICS AND BLENNORRHAGICS

Potassium Acetate Mixture					DOSE
℞ Potas. Acetatis	25	0	5	ii	gr xx
Tinct. Hyoscyami	18	75	5	iss	m xv
Aq. Dest.	q.s. ad 100	0	q.s. ad 5	j	q.s. ad tsp j
Potassium Citrate Mixture					
℞ Potas. Citratis	25	0	5	ii	gr xx
Syr. Limonis	50	0	5	ss	m xl
Aq. Dest.	q.s. ad 100	0	q.s. ad 5	j	q.s. ad tsp j
Potassium and Sodium Tartrate Mixture					
℞ Potas. et Sod. Tartratis	25	0	5	ii	5 i
Potas. Acetatis	12	5			
Sodii Bicarb.	12	5	aa	5 i	aa 5 ss
Aq. Dest.	q.s. ad 100	0	q.s. ad 5	j	ad tbsp. j (5ss)
Triticum Mixture					
℞ Extr. Tritici Rep. Fl.					
Extr. Uvæ Ursi Fl.	aa 25	0	aa	5 ii	aa m xx
Potas. Acetatis					
Potas. Citratis	aa 12	5	aa	5 i	aa gr x
Tinct. Opii		87	m	ix	m iss
Aq. Dest.	q.s. ad 100	0	q.s. ad 5	j	q.s. ad tsp. j
Benzoic Acid Mixture					
℞ Ac. Benzoici	3	0	gr	xv	gr iiss
Sodii Biboratis	25	0	5	ii	gr xx
Ol. Gaultheriæ	0	4	m	ii	m 1/3
Aq. Dest.	q.s. ad 100	0	q.s. ad 5	j	q.s. ad tsp. j
Boric Acid Mixture					
℞ Ac. Boric.	3	0	m	xv	gr viiss
Tict. Hyoscyami	6	0	5	ss	gr xv
Aq. Dest.	q.s. ad 100	0	q.s. ad 5	j	ad Tbsp. j (5ss)

		G	M			
Copaiba Mixture (Lafayette)		C	C			
2 Copaibæ	9	0				
Spir. Aetheris Nitrosi	9	0				
Tinct. Lavandulæ Co.	9	0	aa	m xlv	aa m viiss	
Potas. Acetatis	25	0		5 ii	gr xx	
Mucilag. Acaciæ	9	0	aa	m xlv	aa m viiss	
Aq. Dest.q.s. ad 100	0	q.s. ad	5 j	q.s. ad	tsp. j	
Capsule Santal Oil	0	65			m x	
Hexamethylenamine Tablet	0	325			gr v	
Nitramine Tablet (Helmitol)	0	325			gr v	

ANTILUETIC REMEDIES

Mixed Treatment No. 1

2 Hydrarg. Iodidi Rubr.	0	08	gr 6/15	gr 1/15	
Potas. Iodidi	6	25	5 ss	gr v	
Syr. Sarsaparillæ Co.q.s. ad 100	0	q.s. ad	5 j	q.s. ad	tsp. j

Mixed Treatment No. 2

2 Hydrarg. Chloridi Corrosivi ...	0	04	gr 1/5	gr 1/30	
Potas. Iodidi	6	25	5 ss	gr v	
Syr. Sarsaparillæ Co.q.s. ad 100	0	q.s. ad	5 j	q.s. ad	tsp. j

Potassium Iodid Mixture

2 Potas. Iodidi	12	5	5 j	gr x	
Syr. Sarsaparillæ Co.	37	5	5 iii	3 ss	
Aquæq.s. ad 100	0	q.s. ad	5 j	q.s. ad	tsp. j

Potassium Iodide Solution gtt i = gr j

Sodium Iodide Solution gtt i = gr j

Bichlorid Mercury Tablet gr 1/50

Unguent. Hydrargyrl 25%

Unguent Hydrargyrl 50%

RHEUMATISM AND GOUT REMEDIES

Sodium Salicylate Mixture

2 Sodii Salicylatis	12	5	5 j	gr x	
Aquæq.s. ad 100	0	q.s. ad	5 j	ad	tsp. j

		G M		
Alkaline Salicylate Powder		C C		
℞ Sodii Salicylatis1	3		gr xx
Sodii Bicarbonatis2	6		gr xl
M. S. One powder in glass of water.				tsp j
Phenylsalicylate Tablet				
(Salol).0	065		gr j
Phenylsalicylate Tablet				
(Salol).0	325		gr v
Acid Acetylsalicylate Tablet				
(Aspirin)0	325		gr v
Colchicum and Iodid Mixture				
℞ Vini Colchici Radicis12	5	3 j	m x
Potas. Iodidi6	25	3 ss	gr v
Syr. Sarsaparillæ Co.37	5	3 iii	3 ss
Aquæ Dest.q.s. ad 100	0	q.s. ad 5 j	ad tsp. j

MISCELLANEOUS

Thyroid Extract Tablet0	0065	gr 1/10	
Thyroid Extract Tablet0	016	gr 1/4	
Thyroid Extract Tablet0	065	gr i	
Thyroid Extract Tablet0	16	gr iiss	
Thyroid Extract Tablet0	32	gr v	
Calcium Lactate Tablet0	325	gr v	
Tablet Red (Blank)				
Tablet White (Blank)				
Tablet Black (Blank)				
Tablet Ergotin0	016	gr 1/4	
Ergot and Cinchona Mixture				
℞ Extr. Ergotæ Fl.				
Tr. Cinchonæ Co.				
Glyceriniaa 18	75	aa 3 iss	aa m xv
Aquæ Dest.q.s. ad 100	0	q.s. ad 5 i	q.s. ad tsp j

LOTIONS

Aluminum Acetate Solution

℞ Aluminis1	0	gr xx	
Plumbi Subacetatis5	0	gr c	
Aquæq.s. ad 100	0	q.s. ad 5 iv	

	G	M	
	C	C	
Lead and Opium Wash			
℞ Liq. Plumbi Subacetatis	2	3	m xiv
Tinct. Opii	3	0	3 i
Aquæ	q.s. ad 100	0	q.s. ad 3 iv
Black Wash			
℞ Hydrarg. Chloridi Mitis	1	5	3 ss
Liq. Calcis	100	0	3 iv
Red Wash			
℞ Zinci Sulphatis	0	5	gr x
Tinct. Lavandulæ Co.	1	5	3 ss
Aquæ	q.s. ad 100	0	q.s. ad 3 iv
White Wash			
℞ Zinci Sulphatis	3	0	
Potas. Sulphidi	3	0	aa 3 i
Aquæ	q.s. ad 100	0	q.s. ad 3 iv
Calamin Lotion No 1			
℞ Calaminæ Præp.	3	0	
Zinci Oxidi	3	0	aa 3 i
Glycerini	6	0	3 ii
Aquæ	q.s. ad 100	0	q.s. ad 3 iv
Calamin Lotion No. 2			
℞ Calaminæ Præp.	0	0	3 i
Zinci Oxidi	6	0	3 ii
Phenolis	1	0	gr xx
Mentholis	1	0	gr xx
Aquæ	q.s. ad 100	0	q.s. ad 3 iv
Calamin Lotion No. 3			
℞ Calaminæ Præp.	3	0	3 i
Zinci Oxidi	6	0	3 ii
Phenolis	4	0	gr lxxx
Mentholis	1	0	gr xx
Liq. Carbonis Detergentis	9	0	3 iii
Aquæ	q.s. ad 100		q.s. ad 3 iv
Bichlorid and Cantharides Lotion			
℞ Hydrargyri. Chloridi Corrosivi ..	0	1	gr ii
Tinct. Cantharidis	25	0	3 i
Tinct. Capsici	12	5	3 ss
Aquæ	q.s. ad 100	0	q.s. ad 3 iv

	G	M	
Bichlorid and Resorcin Lotion	C	C	
℞ Hydrargyri. Chloridi Corrosivi . .	0	1	gr ii
Resorcini	3	0	3 i
Ol. Ricini	3	0	3 i
Spir. Vini Rectiq.s. ad	100	0	q.s. ad 3 iv

Resorcin Lotion

℞ Resorcini	18	75	3 vi
Glycerini	2	0	m xl
Spir. Vini Recti.	50	0	3 ii
Aquæq.s. ad	100	0	q.s. ad 3 iv

LINIMENTS

Belladonna Liniment

℞ Tinct. Belladonnæ	3	0	3 i
Tinct. Aconiti	12	0	
Chloroformi	12	0	aa 3 ss
Lin. Saponisq.s. ad	100	0	q.s. ad 3 iv
M.			

Chloroform Liniment

℞ Chloroformi	30	0	3 x
Lin. Saponis	100	0	q.s. ad 3 iv
M.			

Stimulating Liniment

℞ Aquæ Ammoniaë			
Tinct. Capsiciaa	25	0	aa 3 i
Lin. Saponis	50	0	q.s. ad 3 iv
M.			

Turpentine Liniment (Stokes)

℞ Ol. Terebinth.	35	0	3 iss
Acid Acetic.	9	0	3 iii
Ol. Limonis	2	25	m xiv
Vitelliq.s.			q.s.
Aquæq.s. ad	100	0	q.s. ad 3 iv

INJECTIONS

Zinc and Alum Injection (Ultzmann)

℞ Aluminis	0	1	
Zinci Sulphatis	0	1	aa gr ii
Aquæad	100	0	ad 3 iv

	G	M		
Zinc and Lead Injection	C	C		
℞ Plumbi Subacetat.	0	4		
Zinci Sulphat.	0	4	aa	m vi
Tinct. Opii	1	5		3 ss
Aquæq.s. ad 100	0		ad	3 iv

Astringent Douche				
℞ Aluminis	3	00		
Zinci Sulphat.	3	00		
Sodii Biborat.	3	00		
Phenolis	3	00	aa	3 i
Aquæq.s. ad 100	0		ad	3 iv

DUSTING POWDERS

Bismuth Subcarbonate and Alum.....	equal parts
Bismuth Subcarbonate and Calomel.....	" "
Zinc Oxid and Starch	" "

Zinc and Phenol

℞ Phenolis	3	0	gr	xv
Amyli	50	0		3 ss
Zinci Oxidiad 100	0		ad	3 j

OINTMENTS

Boric Acid	12 ½ %	in Petrolatum Base		
Salicylic Acid	5 %	" "	"	"
Salicylic Acid	12 ½ %	" "	"	"
Guaiacol	5 %	" "	"	"
Balsam of Peru.....	25 %	" "	"	"
Resorcin	12 ½ %	" "	"	"
Chrysarobin	10 %	" "	"	"
Ichthyol	10 %	" "		and Lanolin eq. prts.
Ichthyol	20 %	" "		and Lanolin eq. prts.
Iodine	10 %	" "	"	"
Iodine in Goose Grease	12 ½ %			
Sulphur	10 %	" "	"	and Lanolin eq. prts.
Scarlet Red	2 %	" "	"	"

Sulphur and Resorcin Ointment

℞ Sulphur ppt.	25 %	3 ii
Resorcini	12 ½ %	3 i
Petrolati		
Lanolini..... aa eq. pts. ad 100	%aa q.s. ad	3 j

Sulphur and Balsam of Peru Ointment

℞ Sulphur ppt.	25 %	5 ii
Balsam. Peruviani	12 ½ %	5 i
Petrolati		
Lanolini.....aa eq. pts. ad 100 %	aa q.s. ad 5 j	

Ammoniated Mercury.. 3% in Petrolatum and Lanolin.

Ammoniated Mercury.. 6% in Petrolatum and Lanolin.

Ammoniated Mercury—10% in Petrolatum and Lanolin.

Mercury and Salicylic Acid Ointment

℞ Hydrargyri Ammonciati	25 %	5 ii
Acid. Salicylici	12 ½ %	5 i
Petrolati		
Lanolin....aa ey. pts. q.s. ad 100 %	aa q.s. ad 5 j	

Mercury and Cade Ointment

℞ Olei Cadini	125%	
Ung. Hydrargyri (50%)	125%	
Petrolati	125%	
Lanolini	125% aa q.s. ad 5 j	

Cade Compound Ointment

℞ Olei Cadini	600	3 ss
Ung. Zinci Oxidi	9400	5 j

Starch Ointment (Lassar)

℞ Amyli	25%	
Zinci Oxidi	25%	aa 5 ii
Petrolati	ad 100%	ad 5 j

Starch and Salicylic Ointment

℞ Acid Salicylic	3%	gr xv
Starch Ointment, (V.C.) ..ad 100%		ad 5 j

Naphtalan Comp. Ointment

℞ Amyli	25%	
Zinci Oxidi	25%	aa 5 ii
Naphtalani	50%	ad 5 j

Gall and Opium Ointment

℞ Gallæ	20%	5 is3
Pulv. Opii	6%	5 ss
Petrolati	ad 100%	ad 5 j

Lead and Opium Ointment

Plumbi Iodidi	12 ½ %		
Pulv. Opii	12 ½ %	aa	5 j
Petrolati	ad 100 %	ad	5 i

Eye Solution and Ointments

Atropin Sulphate Solution.....	1/2 %	
Atropin Sulphate Solution.....	1 %	
Atropin Sulphate Ointment (Petrolatum) 1	%	
Homocarpin Hydrochl. Solution.....	1 %	
Homocarpin Hydrochl. Solution.....	2 %	
Mercurin Sulphate Solution.....	1/3 %	
Mercurin Sulphate in oil (Ol. Arachis)	1 %	
Boric Acid Solution.....	2 %	
Copper Sulphate Solution.....	1/10 %	
Copper Sulphate Ointment (Petrolatum) 1/10 %		
Ammoniated Mercury Eye Ointment....	2 %	
Yellow Oxid of Mercury Ointment.....	1 %	
Mercuric Chlorid of Mercury Solution.....	1/50 %	
Mercuric Sulphate Sol. (Boric Acid Sol. 2%)	1/5 %	
Codeine of Opium Solution.....	50 %	
Protargol Solution.....	5 %	
Resorcinol Ointment.....	5 %	



COLUMBIA UNIVERSITY LIBRARIES

This book is due on the date indicated below, or at the expiration of a definite period after the date of borrowing, as provided by the rules of the Library or by special arrangement with the Librarian in charge.

[illegible]

M-RS125

Columbia uni
physicians
Vanderbilt
Vanderbilt

COLUMBIA UNIVERSITY LIBRARIES



0050061127

C72

of

